Registered No. M—1175.

The Mysore Gazette.

Vol. 51.] PUBLISHED BY AUTHORITY. [No. 31.

BANGALORE, THURSDAY, AUGUST 3, 1916.

PART V.

Season Report for the Week ending with the 31st Saturday in 1916 (29th July 1916).

District and Station	Rainfall up to 8 A.M. on Saturday								Price of food grains in seers per rupee and market fluctuations in prices of food grains			
	This week		Last ten years' average for the corresponding week		Up to the end of the week from 1st January 1916							
					This year		Average of past ten years		Excess (+) or defect (—) of column 4 compared with column 5			
1	2		3		4		5		6		7	
	I.	c.	I.	c.	I.	c.	I.	c.	I.	c.		This week	Past week	Past ten years' fortnightly average
BANGALORE.												Seers.	Seers.	Seers.
Bangalore C. & M. Station ...	3	01	...	...	15	28	...	...	...	...				
,, City & Taluk ...	5	17	1	04	19	84	15	11	+ 4	73				
Hoskote ...	4	30	0	41	10	75	11	85	— 1	10				
Dodballapur ...	3	75	1	26	15	61	11	63	+ 3	98	Rice, 2nd sort.	6·50	6·50	6·25
Nelamangala ...	2	09	0	87	12	99	12	77	+ 0	22				
Kankanhalli ...	1	63	0	67	12	49	12	48	+ 0	01	Ragi	16·00	16·00	14·50
Magadi ...	1	95	0	96	10	88	13	44	— 2	56	Kulthi	14·00	14·00	10·50
Channapatna ...	1	59	0	78	17	34	14	23	+ 3	11	Kadale	7·00	7·00	6·50
Anekal ...	5	85	1	28	15	41	14	87	+ 0	54				
Devanhalli ...	1	66	0	78	15	14	12	58	+ 2	56				
Closepet ...	2	84	0	91	16	01	13	40	+ 2	61				
District average...	3	08	0	89	14	64	13	22	+ 1	42				
KOLAR.												Seers	Seers	Seers
Kolar ...	1	82	0	62	17	77	11	04	+ 6	73				
Bowringpet ...	3	27	0	73	15	69	10	93	+ 4	76	Rice, 2nd sort.	7·00	7·00	7·72
Chintamani ...	0	78	0	43	12	51	10	50	+ 2	01				
Mulbagal ...	1	08	0	65	15	18	10	29	+ 4	89	Ragi	15·00	15·00	17·23
Sidlaghatta ...	1	57	0	54	16	57	10	82	+ 5	75	Kulthi	15·00	15·00	11·75
Chikballapur ...	1	14	0	82	10	36	11	67	— 1	31				
Bagepalli ...	5	03	1	09	12	41	9	87	+ 2	54	Kadale	7 to 8·00	7 to 8·00	9·10
Goribidnur ...	5	39	0	68	18	76	11	20	+ 7	56				
Malur ...	1	75	0	63	13	72	11	70	+ 2	02				
Srinivaspur ...	3	41	0	46	17	49	10	39	+ 7	10				
Gudibanda ...	2	35	0	76	16	04	13	33	+ 2	71				
District average...	2	51	0	67	15	13	11	07	+ 4	06				
TUMKUR.														
Tumkur ...	3	25	1	13	15	82	12	52	+ 3	30				
Maddagiri ...	1	17	0	68	13	88	11	30	+ 2	58				
Chiknayakanhalli ...	0	44	1	00	19	82	10	67	+ 9	15				
Sira ...	1	56	0	65	16	13	9	29	+ 6	84	Rice, 2nd sort.	7·00	7·00	8·00
Gubbi ...	0	91	1	19	19	54	13	93	+ 5	61				
Tiptur ...	0	59	0	44	13	96	8	84	+ 5	12	Ragi	18·00	18·00	18·80
Pavagada ...	3	69	0	64	21	36	7	91	+ 13	45	Kulthi	16·00	16·00	10·00
Kunigal ...	2	01	0	73	15	56	11	87	+ 3	69	Kadale	7·50	7·50	8·80
Koratagere ...	3	91	0	85	15	52	12	12	+ 3	40	...			
Turuvekere ...	0	91	0	67	13	64	12	37	+ 1	27	...			
District average ...	1	84	0	80	16	52	11	07	+ 5	45				

	District and Station	Rainfall up to 8 A.M. on Saturday: This week		Last ten years' average for the corresponding week		Up to the end of the week from 1st January 1916: This year		Average of past ten years		Excess (+) or defect (−) of column 4 compared with column 5		Price of food grains in seers per rupee and market fluctuations in prices of food grains			
		1	2		3		4		5		6		7		
		I.	c.	I.	c.	I.	c.	I.	c.	I.	c.		This week	Past week	Past ten years' fortnightly average
MYSORE.	Mysore ...	1	03	0	70	15	76	14	53	+ 1	23				
	Chamrajnagar ...	1	58	0	39	14	69	10	89	+ 3	80		Seers	Seers	Seers
	Seringapatam ...	0	80	0	65	12	13	12	67	— 0	54	Rice, 2nd sort.	7·00	7·00	7·40
	Hunsur ...	0	44	0	83	24	78	16	22	+ 8	56				
	Yedatore ...	3	33	0	65	24	85	11	71	+13	14	Ragi	16·00	16·00	14·35
	Heggaddevankote ...	1	82	1	63	23	35	21	85	+ 1	50	Kulthi	16·00	16·00	13·62
	Gundlupet ...	1	57	0	39	13	76	13	69	+ 0	07				
	Nanjangud ...	0	94	0	77	18	37	13	68	+ 4	69	Kadale	8·00	8·00	8·47
	T.-Narsipur ...	1	18	0	76	12	64	12	38	+ 0	26				
	Malvalli ...	0	58	0	61	13	10	10	54	+ 2	56				
	Mandya ...	0	86	0	42	16	84	11	53	+ 5	31				
	Krishnarajpete ...	1	36	0	55	17	42	13	63	+ 3	79				
	Nagamangala ...	2	20	0	53	13	21	9	81	+ 3	40				
	District average...	1	36	0	69	16	99	13	32	+ 3	67				
HASSAN.	Hassan ...	1	49	1	48	19	88	17	25	+ 2	63				
	Manjarabad (Saklespur) ...	2	73	7	63	44	40	57	50	—13	10	Rice, 2nd sort.	7·50	7·50	8·00
	Arkalgud ...	1	94	2	19	22	95	20	09	+ 2	86				
	Belur ...	2	63	2	15	22	06	24	13	— 2	07	Ragi	13·00	13·00	17·00
	Channarayapatna ...	1	47	0	69	15	33	13	00	+ 2	33	Kulthi	13·00	13·00	13·00
	Arsikere ...	0	28	0	64	13	41	11	85	+ 1	56	Kadale	7·50	8·00	7·50
	Hole-Narsipur ...	1	15	0	69	19	68	14	03	+ 5	65				
	Alur (Sub) ...	1	68	2	85	21	49	26	00	— 4	51				
	District average...	1	67	2	29	22	40	22	98	— 0	58				
SHIMOGA.	Shimoga ...	2	12	2	19	15	57	19	89	— 4	32				
	Channagiri ...	1	65	2	14	14	06	14	72	— 0	66	Rice, 2nd sort.	7·00	7·00	7·66
	Honnali ...	2	17	1	49	14	33	10	45	+ 3	88				
	Shikarpur ...	1	73	3	10	22	35	20	99	+ 1	36	Ragi	20·00	20·00	16·56
	Sorab ...	3	88	5	93	28	17	41	43	—13	26	Kulthi	13·00	13·00	11·90
	Sagar ...	4	76	7	99	38	57	55	61	—17	04				
	Nagar (Kallurkatte) ...	2	40	10	83	49	35	77	33	—27	98				
	Tirthahalli ...	4	03	12	93	62	44	83	25	—20	81				
	Kumsi ...	2	49	3	21	23	97	25	34	— 1	37				
	District average...	2	81	5	53	29	86	38	77	— 8	91				
KADUR.	Chikmagalur ...	1	73	2	50	18	55	21	37	— 2	82				
	Kadur ...	2	16	1	17	14	01	9	97	+ 4	04	Rice, 2nd sort.	6 to 8·00	6 to 8·00	6 to 7·00
	Tarikere ...	1	53	3	36	14	26	17	74	— 3	48				
	Koppa ...	5	26	15	01	64	81	69	84	— 5	03	Ragi	16·00	16·00	16·00
	Mudgere ...	1	37	10	21	42	23	57	35	—15	12	Kulthi	13·00	13·00	12·00
	Narasimharajapura ...	3	78	9	09	40	29	44	99	— 4	70	Kadale	7·00	7·00	7·00
	Sringeri ...	5	88	17	29	67	38	86	14	—18	76				
	District average...	3	10	8	37	37	36	43	91	— 6	55				
CHITALDRUG.	Chitaldrug ...	1	74	1	54	11	55	10	14	+ 1	41				
	Challakere ...	2	20	0	41	16	47	7	25	+ 9	22	Rice, 2nd sort.	7·8 to 8·00	7·50	8·00
	Hiriyur ...	0	48	1	25	14	73	11	44	+ 3	29				
	Holalkere ...	2	64	1	20	12	69	10	78	+ 1	91	Ragi	20·00	21·00	20·00
	Davangere ...	1	71	1	03	10	65	9	81	+ 0	84	Kulthi	16·50	17·00	16·00
	Molakalmuru ...	2	03	0	82	11	83	9	18	+ 2	65	Cholum	18·00	18·00	20·00
	Jagalur ...	6	08	0	77	13	91	8	15	+ 5	76	Kadale	8·00	8·00	8·00
	Hosdurga ...	0	45	1	00	10	28	11	28	— 1	00				
	Haribar ...	1	42	1	23	8	31	8	56	— 0	25				
	District average...	2	09	1	03	12	27	9	62	+ 2	65				
	...	...	...	...	...	...	...	...	...	...	...				
	Provincial average...	2	31	2	53	20	64	20	49	+ 0	15				

NOTE.—Rice (husked)—Oryza Sativa.
Ragi—Eleusine Coracana.
Kulthi—(Horse gram) Dolichos Biflorus.
Cholum—Sorghum Vulgare
Kadale—(Bengal gram) Cicer Arietinum.

DISTRICT REPORTS.

8. Markets how supplied.

9. Progress of agricultural operations, state of standing crops, prospects and probable outturn of harvests, serious damage done to crops by insects or other natural calamities.

10. Prospects of season, tracts in which the rainfall has been insufficient, areas affected by scarcity, number of people under relief, and state of food stocks.

11. Public health.

12. Remarks as to the condition of agricultural stock, failure of pasturage, of fodder, etc.

BANGALORE CIVIL AND MILITARY STATION.

	Average for the past five years of the corresponding year.	*Current.*	
Prices of food grains—Boiled rice (2nd sort)	7·07	6·90	Quantity per rupee by the standard seer of 80 tolas.
Ragi	14·23	14·44	
Rangoon rice (2nd sort) ...		7·19	

Agricultural operations.—Transplanting of paddy is going on and weeding operations are carried on in the fields.

Cattle are healthy. Water and fodder are available.

BANGALORE CITY AND TALUKS.

8. Market is well supplied.

9. *Progress of agricultural operations.*—Ploughing operations are carried on in Kankanhalli Taluk. Horrowing is being done in Hoskote, Nelamangala, Magadi, Anekal and Kankanhalli Taluks.

Crops sown.—Ragi, avare, samé, punaji, paddy, togari, gingelly, castor, paddy are sown in all parts of the district.

Crops harvested and their outturn.—Hoskote Taluk; nati ragi, 8 to 12 annas.

State of standing crops.—Sugar-cane, ragi, paddy, potatoes, gingelly, haraka, castor, groundnuts, Vaisakhi paddy, are in good condition.

10. The prospects of the season are good. Food stocks are available. Labour is available to the cooly classes.

11. Except for plague in certain parts of Bangalore, Hoskote, Anekal and Channapatna Taluks, public health is generally good.

12. Cattle are generally healthy, except in a few villages of Channapatna and Kankanhalli Taluks, where chappe roga is said to prevail. Water and fodder are available.

KOLAR.

8. Market is well supplied.

9. *Crops sown.*—Paddy, ragi, avare, togari, samé, Bengal gram, oil seeds and other dry crops are being sown during the week.

Crops harvested.—Nil.

Standing crops.—Paddy, sugar-cane, ragi, avare, togari and other dry crops are reported to be in good condition.

10. Prospects of the season are good. Prices of food grains remain stationary. Cooly classes find sufficient labour.

11. Except for plague in parts of Bowringpet and Chikballapur Taluks and small-pox in parts of Chintamani Taluk, public health is generally good.

12. Cattle are healthy. Pasture, fodder and water are available.

TUMKUR.

8. Market is well supplied.

9. *Crops sown.*—Paddy in parts of Tumkur, Maddagiri, Pavagada Taluks and Koratagere Sub-Taluk; ragi, avare and togari in parts of Tumkur, Maddagiri, Chiknayakanhalli,